

Freezer on Top 18 & 21 Cubic Foot Models:

| Freezer on Top 18 & 21 Cubic Foot Models: | | ument Number: 1421 / 01032 |
|---|-----------------|----------------------------|
| Models | DRT1802A | DRT2102A |
| General | | |
| Style | Freestanding | Freestanding |
| Free-O-Frost [™] Operation | Yes | Yes |
| Magna-Seal™ Door Gaskets | Yes | Yes |
| Seamless Food Liners | Yes | Yes |
| Total Refrigerator Capacity (cu.ft) | 17.9 | 20.6 |
| Fresh Food Capacity (cu.ft.) | 13.0 | 15.2 |
| Freezer Capacity (cu.ft.) | 4.9 | 5.4 |
| Total Refrigerator Shelf Area (sq.ft.) | 23.1 | 26.0 |
| Fresh Food Shelf Area (sq.ft.) | 16.4 | 18.4 |
| Freezer Shelf Area (sq.ft.) | 6.7 | 7.6 |
| Colors | | |
| White | DRT1802AW | DRT2102AW |
| Bisque | DRT1802AC | DRT2102AC |
| Energy Index | | |
| % Below Current Standard | 0 | 0 |
| Energy Label Value (@ \$.0842 KWH) | 58 | 62 |
| KWH per Year (Using FTC Method) | 688 | 736 |
| Exterior Features | | |
| SofSound [™] Package | | |
| Door Stop Color | CC | CC |
| Handle Color | CC | CC |
| Handle Style | CC / Side Mount | CC / Side Mount |
| Consumer Reversible Door Swing | Yes | Yes |
| Toe Grille Color | CC | CC |
| Center Mullion & Hinge Color | | |
| White & Bisque Exterior Color | White | White |
| Hinge Cover Color (Upper/Lower) | CC/CC | CC/CC |
| Textured Steel Exteriors | Yes | Yes |
| Adjustable Front Rollers (Rear Rollers Fixed) | Yes | Yes |
| Fresh Food Interior | | |
| Covered Upper Lights (#) | 2 | 2 |
| Temp-Assure® Controls | Upfront | Upfront |
| Lighted | | |
| Adjustable Shelves (# & Type) | 3 Glass | 3 Glass |
| Full Width (#) | 1 | 1 |
| Split (#) | 2 | 2 |
| Spillsaver™ | | |
| Adjustable Deli Drawer™, Clear | Yes | Yes |
| Temperature Controlled | | |
| Glass Crisper Top | Yes | Yes |
| Clear Garden Fresh™ Crispers, Clear (#) | 2 | 2 |
| Humidity Controlled (#) CC = Color Coordinated | 1 | 1 |

Amana Product Information by Fax / Internet 800-843-0304 / http://www.amana.com

| Models | DRT1802A | DRT2102A | |
|--|---|---|--|
| Fresh Food Door | | | |
| Dairy Center - Clear | Yes | Yes | |
| Adjustable Door Buckets (#) | 3 | 3 | |
| 60% Width (#) | 2 | 2 | |
| 40% Width (#) | 1 | 1 | |
| Door Shelves – Stationary (#) | 2 | 2 | |
| Full Width (#) | 2 | 2 | |
| Gallon Storage (# of Gallons)` | 3 | 3 | |
| Deepfreeze® Interior | | | |
| Covered Upper Light (#) | | | |
| Freezer Controls | Upfront | Upfront | |
| Lighted | | | |
| Adjustable Wire Shelves (#) | 1 Full Width | 1 Full Width | |
| Deepfreeze® Door | | | |
| Door Shelves - Fixed (# & Type) | 2 Full Width | 2 Full Width | |
| Feature Accessory Package | | | |
| Adjustable Storage Racks (#) | | | |
| Storage Bucket w/Lid & Egg Divider | | | |
| Bottle Huggers, Dividers & Retainers (#) | | | |
| Flex Action [™] Ice Cube Trays | | | |
| Sales Accessories Kits | | | |
| Ice Maker | IC6 | IC6 | |
| Water Filter Kit (External) | WF60 | WF60 | |
| Trim and Panel Kits | Contact Frigo Designs at 1/800-836-8746 | | |
| Installation Specifications (in inches) | | | |
| 115 Volts, 60Hz, 15 Amp Electrical | Yes | Yes | |
| Top/Back Air Clearance | 1 | 1 | |
| Kitchen Cabinet Opening | 30 | 33 | |
| Side Clearance, Each Side | 3/16 | 3/16 | |
| Power Cord Length from Strain Relief | 62 | 62 | |
| Water Line Location | See Drawing | | |
| | Warranty applies only when product is | | |
| Warranty | | repaired by an authorized Amana servicer. | |
| Entire Unit | Full 1 year - parts, labor and travel | | |
| Sealed System | Full 5 years - parts, labor and travel | | |
| Food Compartment Liner | Full 5 years - parts, labor and travel in lieu of replacement | | |

Amana Product Information by Fax / Internet 800-843-0304 / http://www.amana.com

| Models | DRT1802A | DRT2102A |
|---|----------|----------|
| Dimensions (in inches) | | |
| A: Cabinet Height, with Hinge Cover | 65 3/8 | 67 3/8 |
| B: Cabinet Height, w/o Hinge | 64 5/8 | 66 5/8 |
| C: Overall Depth with Door Handle | 33 1/8 | 33 1/8 |
| D: Cabinet Depth w/o Door | 28 1/4 | 28 1/4 |
| E: Overall Depth w/o Door Handle | 31 | 31 |
| F: Cabinet Width | 29 5/8 | 32 5/8 |
| G: Depth with Door @ 90° | 59 3/4 | 62 3/4 |
| H: Water Line Location, Facing Back of Unit & | | |
| Distance from Left Side | 5 | 5 |
| I: Water Line Location, from Bottom | 3 | 3 |
| J: Power Cord Location, Facing Back of | | |
| Unit & Distance from Left Side | 1 | 1 |
| K: Power Cord Location from Bottom | 9 | 9 |
| L: Clearance from Side Wall for 90° | | |
| Door Opening | 2 1/8 | 2 1/8 |
| Approximate Shipping Weight (lbs.) | 286 | 302 |

